

ThermaLite™ Thermometers

with assured accuracy for life

- ✓ range -39.9 to 149.9 °C, with a ±0.5 °C accuracy
- ✓ water resistant IP65 when used with silicone boot
- ✓ ThermaLite 2 includes CalCheck function
- ✓ FREE traceable certificate of calibration

NEW!




The ThermaLite digital thermometers display temperature over the range of -39.9 to 149.9 °C with a 0.1 °C resolution and an accuracy of ±0.5 °C. This accuracy is guaranteed for life, due to the instruments advanced electronics. The ThermaLite 2 incorporates a CalCheck, °C/°F and hold functions.

The thermometers weigh only 45 grams, including battery and feature a clear, easy to read LCD display with an open circuit 'Err' and low battery indication. The ThermaLite's auto-power off facility turns the instrument off automatically after 10 minutes, maximising battery life. The thermometer is housed in a high impact ABS plastic case which includes the Biomaster additive that reduces bacterial growth, ideal for routine day-to-day food and catering applications.

The pointed, Ø3.3 x 130 mm stainless steel, penetration probe is ideal for measuring the temperature of food and semi-solid materials. The ThermaLite is available in six colours, suitable for different applications.

ThermaLite 2 with CalCheck function

The ThermaLite 2 incorporates a CalCheck 0 °C function. The CalCheck can be activated by pressing both the 'on/off' and 'hold' buttons simultaneously at the time of switching the unit on.



The ThermaLite is waterproof to IP65 when used in conjunction with the 830-280 protective silicone boot



order code	description
226-301	ThermaLite 1 - grey
226-311	ThermaLite 1 - white
226-321	ThermaLite 1 - yellow
226-331	ThermaLite 1 - green
226-341	ThermaLite 1 - red
226-351	ThermaLite 1 - blue
226-302	ThermaLite 2 - grey
226-312	ThermaLite 2 - white
226-322	ThermaLite 2 - yellow
226-332	ThermaLite 2 - green
226-342	ThermaLite 2 - red
226-352	ThermaLite 2 - blue
830-280	protective silicone boot



specification	ThermaLite 1 & 2
range	-39.9 to 149.9 °C
resolution	0.1 °C/°F
accuracy	±0.5 °C (-39.9 to 124.9 °C)
battery	3 volt CR2032 lithium coin cell
battery life	3000 hours
sensor type	thermistor
display	10 mm LCD
dimensions	Ø29 x 246 mm
weight	45 grams

FREE traceable certificate of calibration included